

Urologia Internationalis

Official Organ of the International Continence Society

Founded by *Peter A. Narath* (1955–†1962) and *Heinrich Heusser* (1955–†1967)

Editor:

G. Mayor, Zürich

Co-Editor:

Eric S. Glen, Glasgow

Editorial Board:

R. Andersen, Oslo
J. Auvert, Paris
E. Bors, Cave Creek, Ariz.
P. Bruni, Napoli
M. Caine, Jerusalem
A. Carneiro de Moura, Lisbon
J.C. Christoffersen, Copenhagen
L. Cifuentes-Delatte, Madrid
P. Deuticke, Vienna
R. de Freitas, São Paulo
G. Giertz, Stockholm
S. Gil Vernet, Barcelona
W.E. Goodwin, Los Angeles,
Calif.

W. Grégoir, Bruxelles
H.G. Hanley, London
F. Hinman, San Francisco,
Calif.
A.R. Küss, Paris
E. Ljunggren, Göteborg
L. Lopez, Caracas
S.A. MacDonald, Montreal
H. Marberger, Innsbruck
R.I. Mathis, Buenos Aires
H. Mortensen, Melbourne
A. Oberholtzer, Rome
E. Pérez-Castro, Madrid

S. Perković, Belgrade
A. Puigvert, Barcelona
P.R. Riddle, London
Shisito, Sendai
D.R. Smith, San Francisco,
Calif.
H. Takayasu, Hongo
F. Tsuchiya, Tokyo
R. Uebelhör, Wien
A. Villanueva, Mexico City
W.F. Whitmore, New York, N.Y.
D.I. Williams, London
E. Zingg, Bern



All rights reserved.

No part of this publication may be translated into other languages, reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, recording, microcopying, or by any information storage and retrieval system, without permission in writing from the publisher.

S. Karger AG, P.O. Box, CH-4009 Basel
(Switzerland),

Printed in Switzerland by Thür AG Offsetdruck,
Pratteln

Drug Dosage

The authors and the publisher have exerted every effort to ensure that drug selection and dosage set forth in this text are in accord with current recommendations and practice at the time of publication. However, in view of ongoing research, changes in government regulations, and the constant flow of information relating to drug therapy and drug reactions, the reader is urged to check the package insert for each drug for any change in indications and dosage and for added warnings and precautions. This is particularly important when the recommended agent is a new and/or infrequently employed drug.

Index

No. 1

Original Papers

Motor Urge Incontinence: Diagnosis and Treatment Gaudenz, R. and Weil, A.	1
Change of Total and Prostatic Serum Acid Phosphatase Levels following Hyperglycemic Treatment in Patients with Prostatic Carcinoma Ishibe, T.	13
Beeinflussung einer durch Antigenvorbehandlung induzierten Sensibilisierung xenogener Transplantatempfänger durch Azathioprin und Prednisolon Prange, C.H.; Bach, D., and Kessler, M.	20
Dip-Slide in Patients at High Risk of Urinary Tract Infection Bonadio, M.	24
Neue Aspekte der Harnblasenphysiologie Festge, O.-A.	28
Serum-Ionized Calcium as a Diagnostic Tool in Hypercalciuria Iguchi, M.; Kohri, K.; Akiyama, T.; Yachiku, S., and Kurita, T.	36
Kidney and Bladder Pulsating Activities during Radioisotope Renogram by Computer Data Analysis Ram, M.; Graber, P.; Donath, A., and Hessler, D.	42
<i>In vivo</i> Labelling of Alpha-Adrenoceptor-Binding Sites and Membrane-Bound Extraneuronal Transport Sites in the Urinary Bladder of the Rat by ³ H-ST-1059 and ³ H-Phentolamine. An Autoradiographic Study Jonas, D.; Moritz, F.; Jenner, S., and Baumgarten, H.G.	47
Urodynamic Analysis of Urethral, Vesical and Perivesical Pressure Distribution in the Healthy Female Constantinou, C.E. and Govan, D.E.	63
Möglichkeiten der Krebsvorsorge der Blase und der ableitenden Harnwege auf der Basis einer automatisierten Urinzytologieauswertung. Vorläufige Mitteilung über erste Ergebnisse und Erfahrungen mit einem hochauflösenden zytologischen Messsystem Aeikens, B.	73

No. 2

Changes in Flow Resistance in Kidney Vessels of Dogs by Hypothermic Hyperosmotic Perfusion Ruedas, G.	81
Comparative Light and Electron Microscopic Study of the Human, Dog and Rat Prostate. An Approach to an Experimental Model for Human Benign Prostatic Hyperplasia (Light and Electron Microscopic Analysis) – a Review Bartsch, G. and Rohr, H.P.	91
Modifizierung der Primärabstoßung xenogener Nierentransplantate durch Anti-Donor-Lymphozyten-Globulin Prange, C.H.; Kessler, M. und Bach, D.	105

The Effect of <i>in situ</i> Isolated Perfusion of Experimental Renal Tumors with Cytotoxic Agents in High Concentration. An Experimental Contribution to the Therapeutic Approach to Bilateral Nephroblastomas	
Asbach, H.W. and Bersch, W.	112
Effects of Cyproterone Acetate on Experimentally Induced Canine Prostatic Hyperplasia. A Morphological and Histochemical Study	
Tunn, U.; Senge, T., Schenck, B., and Neumann, F.	125
Activation of the Renal Pressure System following Severe Hypotension and Its Pathophysiologic Significance	
Schilling, A.	141
Zur Reintervention nach Ureterozystostomie unter besonderer Berücksichtigung des Ureterersatzes durch eine Ileumschlinge	
Rothauge, C.F.; Pust, R. und Weidner, W.	146
The Endocrine Background of Human Renal Cell Carcinoma. V. Binding of the Highly Potent Androgen Methyltrienolone (R 1881) by Tumour Cytosol	
Bojar, H.; Maar, H., and Staib, W.	154

No. 3

Hydronephrotic Alterations in Calyceal and Renal Pelvic Pacemaker Function of the <i>in vitro</i> Pyeloureteral System	
Mensah-Dwumah, M.; Djurhuus, J.C., and Constantinou, C.E.	161
A Urodynamic Study of Cauda Equina Syndrome due to Lumbar Disc Herniation	
Nielsen, B.; Nully, M. de; Schmidt, K., and Hansen, R.I.	167
13,14-Dihydro-15-keto-prostaglandin F _{2α} in Patients with Urogenital Tumors	
Dunzendorfer, U.; Zahradnik, H.P., and Gerster, K.	171
Urodynamic Response of Unstable Bladder to Flavoxate	
Zanollo, A. and Catanzaro, F.	176
Spontaneous Phasic Activity of the Detrusor. A Cause of Uninhibited Contractions in Unstable Bladders?	
Laval, K.-U. and Lutzeyer, W.	182
Noradrenergic Innervation of the Human Bladder in Neurogenic Dysfunction	
Nordling, J.; Christensen, B., and Gosling, J.A.	188
Androgenstoffwechsel im Prostatakarzinom: 3-Hydroxysteroid-Dehydrogenase-Aktivität in Abhängigkeit vom Tumordifferenzierungsgrad	
Jacobi, G.H. und Altwein, J.E.	194
Renovascular Hypertension in Children	
Menezes de Góes, G.; Arap, S., and Denez, F.T.	206
Biochemical and Electrophoretic Properties of Acid Phosphatase Isozymes and Their Distribution in Cell Functions from Neoplastic Prostatic Tissues	
Fischer, D.R. and Gevers, W.	216
Comparative Study of the Periurethral and Perianal Parts of the Human Levator ani Muscle	
Critchley, H.O.D.; Dixon, J.S., and Gosling, J.A.	226
Zur Klinik des Prostatakarzinoms unter Berücksichtigung zyto- und histomorphologischer Befunde	
Stöber, U. und Schnaidt, U.	233
Book Review	240

No. 4

Morphologische Untersuchungen und morphometrische Messungen am Nephron einseitig harnleiterligierter Ratten

Aeikens, B.; Haenschke, H.-J. und Neumann, A.	241
Effect of Prolactin and Testosterone Administration on the Maintenance of Ventral Prostate Transplants into Intact or Gonadectomized Male and Female Syngeneic Rats	
Edwards, W.D. and Thomas, J.A.	251
Nierenadenome: Dignität, Klinik und Therapie	
Kuhn, F.-P. und Altwein, J.E.	258
Ultrastructural Visualization of Concanavalin A Binding Receptor Sites in Neoplastic and Non-Neoplastic Transitional Cell Epithelium of the Human Urinary Bladder	
Kjaergaard, J.; Starklint, H., and Bierring, F.	271
Perkutane Punktion zystischer Raumforderungen der Niere zur Diagnostik und Therapie	
Bach, D.; Weissbach, L.; Grauthoff, H. und Lackner, K.J.	281
Evaluation of Human Chorionic Gonadotropin- β Levels in Prostatic Carcinoma	
Menon, M. and Stefani, S.S.	291
Transurethrale Resektionstechnik bei Hochdruckirrigation. Die Arbeitsweise mit dem Zentralhahn	
Mauermayer, W. und Schütz, W.	294
Quantifying Female Incontinence with Particular Reference to the Urilos System	
Wilson, P.D.; Al Samarrai, M.T., and Brown, A.D.G.	298
Oxalate Urolithiasis: Significance of Serum and Urinary Oxalate	
Butz, M. and Kohlbecker, G.	303

No. 5

Dietary Influence on Serum and Urinary Oxalate in Healthy Subjects and Oxalate Stone Formers

Butz, M.; Hoffmann, H., and Kohlbecker, G.	309
Carcinoma in situ of the Renal Pelvis after Cystectomy. A Case Report Including Comments concerning Diagnostic Procedures and Surgical Treatment (With 1 Color Plate)	
Hellsten, S.; Gliberg, I.; Lindholm, K.; Lindholm, C.-E.; Ogiwara, T., and Wehlin, L.	316
Psychogenic Voiding Patterns	
Palmtag, H. and Riedasch, G.	321
Interrelations of PTH, cAMP, Creatinine and Uric Acid in Nephrectomized Patients under DNA or PTH Application	
Dunzendorfer, U.; Ohlenschläger, G., and Schmidt-Gayk, H.	328
Early Events in Stricture Formation in the Guinea Pig Urethra	
Scott, T.M. and Foote, J.	334
Chemische Induktion transplantabler Harnblasenurothelkarzinome des Hundes	
Harzmann, R.; Gericke, D.; Altenähr, E. und Bichler, K.-H.	340
Structure of Trabeculated Detrusor Smooth Muscle in Cases of Prostatic Hypertrophy	
Gosling, J.A. and Dixon, J.S.	351
Male Stress Incontinence. Diagnostic Work-Up and Therapeutic Considerations	
Thüroff, J.W.; Petri, E., and Jonas, U.	356
Urodynamic Effects of Intravenous Benzilonium Bromide in Healthy Subjects	
Nyman, C.R.	363

C-Peptide, Testosterone, Estrogen, Cortisol and Zinc in Patients with Benign Hyperplasia of the Prostate Dunzendorfer, U. and Drahovsky, D.	369
Fallbericht: Perkutane Nephrostomie und instrumentelle Steinentfernung in Lokalanästhesie Thüroff, J.W. und Hutschenreiter, G.	375
Announcement	380

No. 6

Bioverfügbarkeit von Cyproteronacetat nach oraler und intramuskulärer Applikation bei Männern Becker, H.; Düsterberg, B. und Klosterhalfen, H.	381
Vesico-Uterine Fistula following Caesarean Section Henriksen, H.M.	386
A Simple Method of Predicting Progression of Polycystic Kidney Disease by ^{99m} Tc-Dimercaptosuccinic Acid Renal Scintigraphy Kawamura, J.; Ito, H.; Sawanishi, K., and Yoshida, O.	388
Der Einfluss vollständig ligierter Harnleiter auf die Tubuluszellregeneration nach Entstauung durch Ureterozystostomie Stöber, U. und Aeikens, B.	395
Crossed Ureteral Ectopia with Solitary Kidney Isorna Martinez de la Riva, S.; Santiago, A.; Barberena, J.; Romeo, A., and Sebastian, J.L.	404
Etiologic Factors in Peyronie's Disease Hinman, F. Jr.	407
Sexual Dysfunction Associated with Urinary Incontinence Sutherst, J. and Brown, M.	414
Absence of L-Histidine Ammonia Lyase and Histidine Imidazole Metabolites in Human Adenomatous Prostate Sande, M. van and Van Camp, K.	417
Nachweis harnstoffspaltender Keime im Urin bei Steinpateinten Bichler, K.-H.; Behrendt, W.A.; Haussmann, A.; Schulze, H.S. und Harzmann, R.	421
Telemetric Urodynamic Investigations in Normal Males Thüroff, J.W.; Jonas, U.; Frohneberg, D.; Petri, E., and Hohenfellner, R.	432
Karyometrie zur Verlaufskontrolle beim hormonbehandelten Prostatakarzinom Stöber, U. und Aeikens, B.	435
Book Review	444
Author Index	445
Subject Index	447

Fig. 2. Normal ureteric orifices in the ileal conduit inspected through Olympus fiberscope GIF-P2. Bowel mucosa atrophic
a Wide opened left ureteric orifice cannulated by a Tefloncatheter, outer diameter 1.8 mm.
b Both orifices, catheter in the right one.

