

References

- 1 Alexiou C, Kau RJ, Dietzelbinger H, et al: Extramedullary plasmacytoma: tumor occurrence and therapeutic concepts. *Cancer* 1999; 85:2305–2314.
- 2 Alcorn SR, Gocke CD, Woodard CA, Tran PT: Solitary plasmacytoma of the penile urethra treated with primary radiotherapy. *J Clin Oncol* 2014;32:e95–e97.
- 3 Witjes JA, De Vries JD, Schaafsma HE, et al: Extramedullary plasmacytoma of the urethra: a case report. *J Urol* 1991;145:826–828.
- 4 Mark JA, Pais VM, Chong FK: Plasmacytoma of the urethra treated with transurethral resection and radiotherapy. *J Urol* 1990;143: 1010–1011.
- 5 Fernández Jiménez I, de Diego García E, Sandoval González F: [Nephrogenic adenoma of the urethra. Report of a case]. *Cir Pediatr* 2003;16:203–204.
- 6 Krishna Kumar G, Malcomson R, Chandran H: Nephrogenic adenoma of the urethra presenting as hematuria. *Indian J Surg* 2014;76: 228–229.
- 7 Ford TF, Watson GM, Cameron KM: Adenomatous metaplasia (nephrogenic adenoma) of urothelium. An analysis of 70 cases. *Br J Urol* 1985;57:427–433.
- 8 Weber DM: Solitary bone and extramedullary plasmacytoma. *Hematology AM Soc Hematol Educ Program* 2005;2005:373–376.
- 9 Liebross RH, Ha CS, Cox JD, Weber D, Delassalle K, Alexanian R: Solitary bone plasmacytoma: outcome and prognostic factors following radiotherapy. *Int J Radiat Oncol Biol Phys* 1998;41:1063–1067.

Erratum

In the article by Almeida GL, Petralia G, Ferro M, Ribas CAP, Detti S, Jereczek-Fossa BA, Matei DV, Coman I and De Cobelli O, entitled ‘Role of multi-parametric magnetic resonance image and PIRADS score in patients with prostate cancer eligible for active surveillance according PRIAS criteria’ [*Urol Int* 2016;96:459–469, DOI: 10.1159/000444197], the following author needs to be included as a contributor to this paper as seventh author:

Elena Tagliabue^g

^gDivision of Epidemiology and Biostatistics, European Institute of Oncology, Milan, Italy