

In the article by Karabulut et al. entitled “The Effect of the Presence of Lower Urinary System Symptoms on the Prognosis of COVID-19: Preliminary Results of a Prospective Study” [Urol Int. DOI: 10.1159/000510761], an error occurred in Tables 1–3. The corrected Tables are shown below.

Table 1. Comparison of demographic data, comorbidities, and COVID-19 symptoms between groups

Characteristics	Group 1 (<i>n</i> = 22)	Group 2 (<i>n</i> = 22)	Group 3 (<i>n</i> = 19)	<i>p</i>
Demographic data				
Mean age, years	61.5 (46–75)	63.0 (47–78)	63.4 (48–78)	0.708 ^a
BMI, kg/m ²	25.7 (22–29)	25.5 (22–29)	26.4 (22–28)	0.896 ^a
Medical comorbidity				
Diabetes mellitus	5	6	5	0.936 ^b
Hypertension	7	6	5	0.914 ^b
COPD	6	7	6	0.935 ^b
Malignancy	2	2	2	0.984 ^b
COD	2	4	2	0.626 ^b
Others	5	5	3	0.823 ^b
Symptoms				
Fever	19	18	16	0.918 ^b
Cough	16	17	15	0.887 ^b
Sore throat	12	16	15	0.211 ^b
Headache	10	11	15	0.068 ^b
Fatigue	15	14	15	0.555 ^b
Myalgia	3	8	9	0.058 ^b
Breathless	5 ^c	6	11	0.04 ^b

Data are expressed as a median (min–max) or *n*, unless indicated otherwise. COPD, chronic obstructive pulmonary disease; COD, chronic organ deficiency (liver, kidney, heart, etc.). ^a Kruskal-Wallis test. ^b Pearson χ^2 test. ^c $p < 0.05$ Pearson χ^2 test (with Group 3).

Table 2. Comparison of I-PSS values, duration of hospitalization, requirement of critical care and mortality data between groups

	Group 1 (n = 22)	Group 2 (n = 22)	Group 3 (n = 19)	<i>p</i>
I-PSS score	5.1 (2–7) ^{c, d}	12.3 (8–18) ^c	27.5 (21–34)	<0.001 ^a
Duration of hospitalization, days	18.2 (14–30) ^c	19.4 (14–30) ^c	23.1 (15–31)	0.005 ^a
Requirement of critical care	4 ^e	5 ^e	10	0.036 ^b
Mortality	1 ^e	3	7	0.021 ^b

Data are expressed as a median (min-max) or *n*. ^a Kruskal-Wallis test (Monte Carlo), post hoc test: Dunn's test. ^b Pearson χ^2 test. ^c $p < 0.05$ Kruskal-Wallis test (with Group 3). ^d $p < 0.05$ Kruskal-Wallis test (with Group 2). ^e $p < 0.05$ Pearson χ^2 test (with Group 3).

Table 3. Number of patients not requiring critical care by time

	Time					
	0 h	0–3 h	3–6 h	6–9 h	9–12 h	>12 h
Group 1 ^a	22	22	22	19	16	16
Group 2 ^b	22	22	22	13	12	12
Group 3 ^c	19	19	12	8	8	8

^a I-PSS score: 0–7. ^b I-PSS score: 8–19. ^c I-PSS score: 20–35.